

POWER TOOL ACCESSORIES

HOLE SAWS

- Shatterproof and shock resistant Steel Alloy body
- Cobalt steel welded cutting edge
- Variable pitched teeth design on bi-metal hole saws
- Side cutouts allow for effortless chip, debris and plug removal

DIA.	BI-METAL Part#	CARBIDE TIPPED Part#	CARBIDE GRIT Part#
9/16"	04-1014		
5/8"	04-1016		
11/16"	04-1017		
3/4"	04-1019	04-6019	
13/16"	04-1021		
7/8"	04-1022	04-6022	04-7022
15/16"	04-1024	04-6024	
1"	04-1025	04-6025	04-7025
1-1/16"	04-1027		
1-1/8"	04-1028	04-6028	04-7028
1-3/16"	04-1030		
1-1/4"	04-1032	04-6032	04-7032
1-5/16"	04-1033		
1-3/8"	04-1035	04-6035	04-7035
1-7/16"	04-1037	04-6037	
1-1/2"	04-1038	04-6038	04-7038
1-9/16"	04-1040		
1-5/8"	04-1041	04-6041	
1-11/16"	04-1043		
1-3/4"	04-1044	04-6044	04-7044
1-13/16"	04-1046	04-6046	
1-7/8"	04-1048	04-6048	
2"	04-1051	04-6051	04-7051
2-1/16"	04-1052		
2-1/8"	04-1054	04-6054	04-7054
2-1/4"	04-1057	04-6057	04-7057
2-5/16"	04-1059		
2-3/8"	04-1060	04-6060	04-7060
2-1/2"	04-1064	04-6064	04-7064
2-9/16"	04-1065	04-6065	
2-5/8"	04-1067	04-6067	
2-3/4"	04-1070	04-6070	
2-7/8"	04-1073	04-6073	
3"	04-1076	04-6076	04-7076
3-1/8"	04-1079	04-6079	
3-1/4"	04-1083	04-6083	
3-3/8"	04-1086	04-6086	
3-1/2"	04-1089	04-6089	
3-5/8"	04-1092	04-6092	04-7092



Bi-Metal Holesaw is made for cutting 2x4 wood planks with a 1-1/2" cutting depth.



CARBIDE TIPPED Holesaw cuts wood, plastic, fiberglass, copper, brass, and iron with a 1-3/8" cutting depth. Cuts faster than a bimetal holesaw



CARBIDE GRIT Holesaw cuts stone, brick, and concrete. 1-1/2" cutting depth

POWER TOOL ACCESSORIES

HOLE SAWS (MORE SIZES)

- Shatterproof and shock resistant Steel Alloy body
- Cobalt steel welded cutting edge
- Variable pitched teeth design on bi-metal hole saws
- Side cutouts allow for effortless chip, debris and plug removal

DIA.	BI-METAL Part#	CARBIDE TIPPED Part#	CARBIDE GRIT Part#
3-3/4"	04-1095	04-6095	
3-7/8"	04-1098	04-6098	
4"	04-1102	04-6102	04-7102
4-1/8"	04-1105	04-6105	04-7105
4-1/4"	04-1108	04-6108	
4-3/8"	04-1111	04-6111	
4-1/2"	04-1114	04-6114	
4-3/4"	04-1121	04-6121	
5"	04-1127	04-6127	
5-1/4"	04-1133	04-6133	
5-1/2"	04-1140	04-6140	
5-3/4"	04-1146	04-6146	
6"	04-1152	04-6152	

HOLE SAW ARBORS & ACCESSORIES

- Heavy Duty Steel Alloy material
- SCREW LOCK is threaded and PUSH LOCK uses a slider plate
- Connects the hole saw and pilot drill to the power drill

PART#	DESCRIPTION
04-9002	7/16" HEX Shank Arbor (fits 1-1/4"...6")-SCREW LOCK
04-9004	3/8" HEX Shank Arbor (fits 1-1/4"...6")-PUSH LOCK
04-9005	1/4" TRIANGLE HEX Shank Arbor (fits 9/16"...1-1/8")
04-9006	3/8" HEX Shank Arbor (fits 9/16"...1-1/8")
04-9007	7/16" HEX Shank Arbor (fits 9/16"...1-1/8")
04-9008	1/4" QUICK CHANGE Shank Arbor (fits 9/16"...1-1/8")
04-9016	1/2" SDS shank Arbor (fits 9/16"...1-1/8")
04-9017	5/8" SDS shank Arbor (fits 9/16"...1-1/8")
04-9080	Arbor Adapter
04-9014	Long Pilot Bit (1/4" x 4-1/4")
04-9015	Short Pilot Bit (1/4" x 3-1/4")
04-9090	5-1/2" LENGTH x 7/16" HEX Extension Bar
04-9091	12" LENGTH x 7/16" HEX Extension Bar



#04-9002 SCREW LOCK



#04-9004 PUSH LOCK



04-9006, 04-9007, 04-9005



ARBOR ADAPTER



SDS shank Arbor



PILOT DRILL BIT



QUICK CHANGE Shank Arbor

POWER TOOL ACCESSORIES

HOLE SAW SETS

- Sets of bimetal hole saws are sold in heavy duty plastic injection molded cases

PART#	DESCRIPTION
04-9103	Lock Installation Kit (3 Pieces)
04-9107	Mechanic's Kit (7 Pieces)
04-9108	Electrician's Kit (8 Pieces)
04-9111	Journeyman's Maintenance Kit (11 Pieces)
04-9114	Industrial Maintenance Kit (14 Pieces)
04-9115	Master Electrician's Kit (16 Pieces)
04-9120	Master Industrial Kit
04-9308	Plumber's Kit (8 Pieces)
04-9508	Locksmith's Kit (8 Pieces)



HOLE SAW SET CONTENTS:

PART#	KIT NAME	CONTENT (BIMETAL HOLES AW SIZES & ARBORS)
04-9103	LOCK INSTALLATION KIT	1", 2-1/8" & ARBOR ADAPTER NUT (3PC)
04-9107	MECHANIC'S KIT	7/8", 1", 1-1/8", 1-1/4", 1-1/2", HEX Shank ARBOR & ARBOR ADAPTER (7PC)
04-9108	ELECTRICIAN'S KIT	7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", TWO HEX Shank ARBORS & ONE PILOT DRILL BIT (8PC)
04-9111	JOURNEYMAN'S MAINTENANCE KIT	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" TWO HEX Shank ARBORS & ONE PILOT DRILL BIT (11PC)
04-9114	INDUSTRIAL MAINTENANCE KIT	3/4", 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3" TWO HEX Shank ARBORS & ONE PILOT DRILL BIT (14PC)
04-9115	MASTER ELECTRICIAN'S KIT	7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3", 3-5/8", 4-1/8", 4-1/2" THREE HEX Shank ARBORS, ONE PILOT DRILL BIT & 12" EXTENSION BAR (16PC)
04-9120	MASTER INDUSTRIAL KIT	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3", 3-1/4", 3-5/8", 4-1/8", 4-1/2" TWO HEX Shank ARBORS, ONE ARBOR ADAPTER, ONE PILOT DRILL BIT & 12" Extension Bar
04-9308	PLUMBERS KIT	3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", TWO HEX SHANK ARBORS, & ONE PILOT DRILL BIT
04-9508	LOCKSMITHS KIT	7/8", 1", 1-1/4", 1-3/8", 1-3/4", 2-1/8", TWO HEX SHANK Arbors, & ONE PILOT DRILL BIT

RECESSED LIGHTS HOLE SAWS

- Continuous tungsten carbide grit cutting edge cuts drywall, ceiling tile, and plaster that are found in recessed lights

- Open ended backing allow for effortless plug removal
- Dust bowl collects dust while drilling for a clean workplace

PART#	SIZE (DIAMETER)
04-3092	3-5/8"
04-3108	4-1/4"
04-3111	4-3/8"
04-3140	5-1/2"
04-3161	6-3/8"
04-3168	6-5/8"
04-3175	6-7/8"
04-9098	DUST BOWL PROTECTOR



DUST BOWL



POWER TOOL ACCESSORIES

ABRASIVE CUTOFF WHEELS

- Contractor Grade abrasive wheel with aluminum oxide
- Ideal for cutting and grinding metals

PART#	DIAMETER x ARBOR HOLE SIZE x THICKNESS & APPLICATION	PACK/CASE QTY.
82-0040	4" x 5/8" x 1/16" METAL WHEEL	50/600
82-0050	4" x 3/8" x 1/32" METAL WHEEL	50/600
82-0060	4-1/2" x 7/8" x 1/16" METAL WHEEL	50/400
82-0100	7" x 5/8" x 1/8" METAL WHEEL	25/100
82-0200	12" x 1" ARBOR METAL WHEEL	10/30
82-0300	12" x 20MM ARBOR METAL WHEEL	10/30
82-0400	14" x 1" ARBOR METAL WHEEL	10/30
82-0500	14" x 20MM ARBOR METAL WHEEL	10/30
82-0600	7" x 5/8" ARBOR MASONRY WHEEL	10/30
82-0700	12" x 1" ARBOR MASONRY WHEEL	10/30
82-0800	12" x 20MM ARBOR MASONRY WHEEL	10/30
82-0900	14" x 1" ARBOR MASONRY WHEEL	10/30
82-1000	14" x 20MM ARBOR MASONRY WHEEL	10/30
82-1100	12" x 1" ARBOR DUCTILE IRON WHEEL	10/30
82-1200	12" x 20MM ARBOR DUCTILE IRON WHEEL	10/30
82-1300	14" x 1" ARBOR DUCTILE IRON WHEEL	10/30
82-1400	14" x 20MM ARBOR DUCTILE IRON WHEEL	10/30



DIAMOND BLADES

- Cuts through concrete or ductile iron like butter

PART#	DESCRIPTION
90-2004	4" CONCRETE DIAMOND BLADE
90-2005	4-1/2" CONCRETE DIAMOND BLADE
90-2007	7" CONCRETE DIAMOND BLADE
90-2010	10" CONCRETE DIAMOND BLADE
90-2012	12" CONCRETE DIAMOND BLADE
90-2014	14" CONCRETE DIAMOND BLADE
VBA12321P	12" x 1" ARBOR x 0.125" thick DIAMOND BLADE for DUCTILE IRON
VBA14321P	14" x 1" ARBOR x 0.125" thick DIAMOND BLADE for DUCTILE IRON



CIRCULAR SAW BLADES

- Carbide tipped cutting edge cuts wood, sheet metal, plastic, and fiberglass
- Thin Kerf design with heat vents makes these blades last longer

PART#	SIZE
TCT-5724	7-1/4" x 24T
TCT-0740	7-1/4" x 40T
TCT-1040	10" x 40T
TCT-1060	10" x 60T



POWER TOOL ACCESSORIES

PORTABAND SAW BLADES

- 8% cobalt matrix HSS cutting edge with a steel alloy backing. Shatterproof and shock resistant teeth

PART#	SIZE
PORT10	44-7/8" x 10T
PORT1014	44-7/8" x 10/14T
PORT14	44-7/8" x 14T
PORT1418	44-7/8" x 14/18T
PORT18	44-7/8" x 18T
PORT24	44-7/8" x 24T



HACKSAW FRAMES

- Filed high speed steel cutting teeth

PART#	DESCRIPTION
19-0001	Deluxe High Tension Hacksaw (MADE IN USA)
19-3006	6" Chrome Plated Mini Hacksaw
19-1006	6" Mini Hacksaw Frame
19-2006	Hacksaw Replacement Blades for MINI Hacksaw FRAMES (PRICED AS 10PCS per pouch). Works for 19-1006 & 19-3006 hacksaw frames
19-1012	12" WEDGE POINT HACKSAW
19-2012	REPLACEMENT BLADE FOR 19-1012 WEDGE POINT HACKSAW (PRICED AS 10PCS per PACK)



#19-0001



#19-1006



#19-1012

LENOX PRODUCTS

- PVC Saws are priced individually. Hacksaw and Recip Blades are priced per pack

PART#	DESCRIPTION
81-110R	LENOX 110R 12" x 10/14T (5 per pack) RECIP Blade
81-156R	LENOX 156R 12" x 6T (5 per pack) RECIP Blade
81-610R	LENOX 610R 6" x 10T (5 per pack) RECIP Blade
81-614R	LENOX 614R 6" x 14T (5 per pack) RECIP Blade
81-618R	LENOX 618R 6" x 18T (5 per pack) RECIP Blade
81-624R	LENOX 624R 6" x 24T (5 per pack) RECIP Blade
81-656R	LENOX 656R 6" x 6T (5 per pack) RECIP Blade
81-800RG	LENOX 800RG 8" GRIT (2 per pack) RECIP Blade
81-810R	LENOX 810R 8" x 10T (5 per pack) RECIP Blade
81-818R	LENOX 818R 8" x 18T (5 per pack) RECIP Blade
81-956R	LENOX 956R 9" x 6T (5 per pack) RECIP Blade
81-HSF12	LENOX HSF12 12" PVC SAW
81-HSF18	LENOX HSF18 18" PVC SAW
81-HSB12	HSB12 12" PVC REPLACEMENT BLADE
81-HSB18	HSB18 18" PVC REPLACEMENT BLADE
81-V218HE	LENOX V218HE 12" x 18T HACKSAW BLADE (10 per pack)
81-V224HE	LENOX V224HE 12" x 24T HACKSAW BLADE (10 per pack)
81-V232HE	LENOX V232HE 12" x 32T HACKSAW BLADE (10 per pack)



POWER TOOL ACCESSORIES

LENOX HACKSAW

- CLOSE QUARTER hacksaw is perfect for cutting in tight spaces and around corners

PART#	DESCRIPTION
19-0030	LENOX 12" CLOSE QUARTER HACKSAW #975



MASONRY DRILL BITS

- Carbide Tipped & heat-treated steel body for high shock resistance

PART#	FINISH	DIAMETER x LENGTH
54-183	Black Oxide	1/8" x 3"
54-3164	Black Oxide	3/16" x 4"
54-3166	Black Oxide	3/16" x 6"
54-144	Black Oxide	1/4" x 4"
54-146	Black Oxide	1/4" x 6"
54-1412	Black Oxide	1/4" x 12"
54-5164	Black Oxide	5/16" x 4"
54-5166	Black Oxide	5/16" x 6"
54-51612	Black Oxide	5/16" x 12"
54-384	Black Oxide	3/8" x 4"
54-386	Black Oxide	3/8" x 6"
54-3812	Black Oxide	3/8" x 12"
54-7166	Black Oxide	7/16" x 6"
54-126	Black Oxide	1/2" x 6"
54-1212	Black Oxide	1/2" x 12"
54-9166	Black Oxide	9/16" x 6"
54-586	Black Oxide	5/8" x 6"
54-5812	Black Oxide	5/8" x 12"
54-346	Black Oxide	3/4" x 6"
54-3412	Black Oxide	3/4" x 12"
54-3418	Black Oxide	3/4" x 18"
54-786	Black Oxide	7/8" x 6"
54-7812	Black Oxide	7/8" x 12"
54-7818	Black Oxide	7/8" x 18"
54-160	Black Oxide	1" x 6"
54-112	Black Oxide	1" x 12"
54-118	Black Oxide	1" x 18"



BLACK OXIDE FINISH



ZINC FINISH


PART#	FINISH	DIAMETER x LENGTH
51-0001	Zinc Plated	1/8" x 3"
51-0003	Zinc Plated	3/16" x 4"
51-0004	Zinc Plated	1/4" x 4"
51-0015	Zinc Plated	1/4" x 6"
51-0006	Zinc Plated	5/16" x 4"
51-0020	Zinc Plated	5/16" x 6"
51-0048	Zinc Plated	3/8" x 4"
51-0008	Zinc Plated	3/8" x 6"
51-0009	Zinc Plated	7/16" x 6"
51-0011	Zinc Plated	1/2" x 6"
51-0012	Zinc Plated	9/16" x 6"
51-0014	Zinc Plated	5/8" x 6"
51-0030	Zinc Plated	3/4" x 6"

POWER TOOL ACCESSORIES

ROTARY HAMMER SDS+ DRILL BITS

- Carbide Tipped & Heat-treated Alloy steel body for hammer drilling in brick, concrete, stucco, and masonry materials
- SDS+ shank allows for a sliding back and forth action in the drill chuck

PART #	DIAMETER x LENGTH
73-3010	3/16" x 4"
73-3020	3/16" x 6"
73-3025	3/16" x 9"
73-3028	3/16" x 12"
73-3029	7/32" x 6"
73-3030	1/4" x 4"
73-3040	1/4" x 6"
73-3045	1/4" x 9"
73-3048	1/4" x 12"
73-3050	5/16" x 6"
73-3055	5/16" x 9"
73-3060	3/8" x 6"
73-3065	3/8" x 9"
73-3070	3/8" x 12"
73-3075	3/8" x 18"
73-3080	7/16" x 6"
73-3084	7/16" x 12"
73-3088	7/16" x 18"
73-3090	1/2" x 6"
73-3095	1/2" x 9"
73-3100	1/2" x 12"
73-3105	1/2" x 18"
73-3110	9/16" x 6"
73-3120	9/16" x 12"
73-3125	9/16" x 18"
73-3130	5/8" x 6"
73-3135	5/8" x 9"
73-3140	5/8" x 12"
73-3145	5/8" x 18"
73-3150	3/4" x 9"
73-3160	3/4" x 12"
73-3170	3/4" x 18"
73-3180	7/8" x 9"
73-3185	7/8" x 12"
73-3190	7/8" x 18"
73-3200	1" x 9"
73-3210	1" x 12"
73-3220	1" x 18"



CARBIDE TIP



POWER TOOL ACCESSORIES

AUGER BITS

- Heat-treated steel body with an outlining spur

PART #	DIAMETER x LENGTH
73-0002	3/8" x 7"
73-0004	1/2" x 7"
73-0007	5/8" x 7"
73-0009	3/4" x 7"
73-0010	7/8" x 7"
73-0011	1" x 7"
73-0012	1-1/8" x 7"
73-0014	1-1/4" x 7"
73-0016	1-3/8" x 7"
73-0018	1-1/2" x 7"
73-1020	1/2" x 18"
73-1025	9/16" x 18"
73-1030	5/8" x 18"
73-1040	3/4" x 18"
73-1050	7/8" x 18"
73-1060	1" x 18"
73-1070	1-1/8" x 18"
73-1080	1-1/4" x 18"
73-1090	1-3/8" x 18"
73-1100	1-1/2" x 18"

- Self-feed screw point eliminates the need for a pilot hole



NAILBUSTER AUGER BITS

PART #	DIAMETER x LENGTH
73-2510	1/2" x 8"
73-2530	5/8" x 8"
73-2550	3/4" x 8"
73-2570	7/8" x 8"
73-2590	1" x 8"
73-2600	1-1/8" x 8"
73-2610	1-1/4" x 8"
73-2620	1-3/8" x 8"
73-2630	1-1/2" x 8"
73-2030	3/8" x 18"
73-2050	1/2" x 18"
73-2070	5/8" x 18"
73-2090	3/4" x 18"
73-2100	7/8" x 18"
73-2120	1" x 18"
73-2130	1-1/8" x 18"
73-2140	1-1/4" x 18"
73-2150	1-3/8" x 18"
73-2160	1-1/2" x 18"

- Heat-treated steel body for a long lasting bit
- Able to cut through nail embedded wood with no spur
- Self-feed screw point eliminates the need for a pilot hole



NO SPUR



POWER TOOL ACCESSORIES

SPADE FLAT PADDLE BITS

- Contractor grade heat-treated carbon steel
- Double cutting flutes outlines the hole and eliminates splintering

- Central cutting point ensures self centering
- Cutting cavity and fish eye hole

PART #	DIAMETER x LENGTH
71-0001	1/4" x 6"
71-0002	5/16" x 6"
71-0003	3/8" x 6"
71-00035	7/16" x 6"
71-0004	1/2" x 6"
71-0005	9/16" x 6"
71-0006	5/8" x 6"
71-0007	11/16" x 6"
71-0008	3/4" x 6"
71-00085	13/16" x 6"
71-0009	7/8" x 6"
71-0010	15/16" x 6"
71-0011	1" x 6"
71-0013	1-1/8" x 6"
71-0015	1-1/4" x 6"
71-0016	1-3/8" x 6"
71-0018	1-1/2" x 6"
71-1601	1/4" x 16"
71-1603	3/8" x 16"
71-1604	1/2" x 16"
71-1606	5/8" x 16"
71-1608	3/4" x 16"
71-1609	7/8" x 16"
71-1610	15/16" x 16"
71-1611	1" x 16"
71-1613	1-1/8" x 16"
71-1615	1-1/4" x 16"
71-1616	1-3/8" x 16"
71-1618	1-1/2" x 16"
71-1040	Six Piece 6" Set includes sizes: 3/8", 1/2", 5/8", 3/4", 7/8", & 1" **Set comes in a plastic pouch
71-1050	13 Piece 6" Set includes 1/4"...1" **Set comes with a plastic pouch



POWER TOOL ACCESSORIES

SELF-FEED DRILL BITS & ACCESSORIES

- Carbon Steel body with outlying spurs
- Self centering screw point eliminates the need for a pilot hole
- Comes with one hex key and a replaceable screw point
- 7/16" Hex Diameter opening for the extension bar

PART #	DIAMETER
70-3002	1"
70-3003	1-1/8"
70-3005	1-1/4"
70-3010	1-3/8"
70-3020	1-1/2"
70-3030	1-3/4"
70-3033	2"
70-3035	2-1/8"
70-3040	2-1/4"
70-3060	2-9/16"
70-3065	3"
70-3070	3-5/8"
70-3080	4-5/8"



PART #	DESCRIPTION
70-5010	5-1/2" Extension Bar
70-5012	12" Extension Bar
70-5018	18" Extension Bar
70-5024	24" Extension Bar
70-4100	1/4" Diameter Replacement Screw Point
70-4200	3/8" Diameter Replacement Screw Point

SILVER & DEMING DRILL BITS

- Heat-treated high speed steel construction
- 135° split point reduces wobbling
- Three machined flats on a 1/2" shank
- 6" OAL for use in drill presses or portable drills

PART #	SIZE
75-5010	9/16"
75-5015	19/32"
75-5020	5/8"
75-5025	21/32"
75-5030	11/16"
75-5035	23/32"
75-5040	3/4"
75-5042	25/32"
75-5045	13/16"
75-5047	27/32"
75-5050	7/8"
75-5052	29/32"
75-5055	15/16"
75-5057	31/32"
75-5060	1"
75-5070	1-1/16"
75-5080	1-1/8"
75-5090	1-3/16"
75-5100	1-1/4"
75-5150	1-1/2"




PART #	DESCRIPTION
75-5800	8 Piece Set includes sizes: 9/16"...1" by the 16ths in a metal index case
75-5808	8 Piece Jumbo Set includes sizes 1-1/16"...1-1/2" by the 16ths
75-5813	13 Piece Set includes sizes: 17/32"...1" in a metal index case

POWER TOOL ACCESSORIES

JOBBER LENGTH TWIST DRILL BITS

- Heat-treated high speed steel material
- 135° split point tip prevents “wobbling” and eliminates the need for a pilot hole
- COBALT drill bits last longer and drill faster
- Precision grounded from solid for exact dimensions
- Straight shank on sizes 11/64" and under. 3 Flats shank on sizes 3/16" and up

BLACK & GOLD PART#	COBALT PART#	SIZE (Diameter)	Overall Length
56-2004	58-2004	1/16"	1-7/8"
56-2005	58-2005	5/64"	2"
56-2006	58-2006	3/32"	2-1/4"
56-2007	58-2007	7/64"	2-5/8"
56-2008	58-2008	1/8"	2-3/4"
56-2009	58-2009	9/64"	2-7/8"
56-2010	58-2010	5/32"	3-1/8"
56-2011	58-2011	11/64"	3-1/4"
56-2012	58-2012	3/16"	3-1/2"
56-2013	58-2013	13/64"	3-5/8"
56-2014	58-2014	7/32"	3-3/4"
56-2015	58-2015	15/64"	3-7/8"
56-2016	58-2016	1/4"	4"
56-2017	58-2017	17/64"	4-1/8"
56-2018	58-2018	9/32"	4-1/4"
56-2019	58-2019	19/64"	4-3/8"
56-2020	58-2020	5/16"	4-1/2"
56-2021	58-2021	21/64"	4-5/8"
56-2022	58-2022	11/32"	4-3/4"
56-2023	58-2023	23/64"	4-7/8"
56-2024	58-2024	3/8"	5"
56-2025	58-2025	25/64"	5-1/8"
56-2026	58-2026	13/32"	5-1/4"
56-2027	58-2027	27/64"	5-3/8"
56-2028	58-2028	7/16"	5-1/2"
56-2029	58-2029	29/64"	5-5/8"
56-2030	58-2030	15/32"	5-3/4"
56-2031	58-2031	31/64"	5-7/8"
56-2032	58-2032	1/2"	6"
56-4013	58-4013	13 Piece Set	
56-4021	58-4021	21 Piece Set	
56-4029	58-4029	29 Piece Set	
56-4115	58-4115	115 Piece Drill Set	
56-4025M		25 Piece Metric	
56-4026AZ		26 Piece A...Z	
56-4260		60 Piece Wire Gauge	



- 13 Piece Drill Set include sizes 1/16" to 1/4" by the 64ths increment
- 21 Piece Drill Set include sizes 1/16" to 1/4" by the 64ths and also 9/32" to 1/2" by the 32nds
- 29 Piece Drill Set include sizes 1/16" to 1/2" by the 64ths
- 115 Piece Drill Set include sizes 1/16" to 1/2" by the 64ths, #1 to #60, and A to Z letter sized drills
- 60 Pc. Wire Gauge set includes #1 to #60
- A..Z Drill Set includes 26 letter drills
- Metric Drill set includes 1MM...13MM by 0.5MM increments

POWER TOOL ACCESSORIES

RECIPROCATING SAW BLADES

- 8% cobalt matrix HSS cutting edge with a steel alloy backing
- Shatterproof and shock resistant saw blade
- Vinyl Pouch is packaged & Sold as 5pcs. per pouch for 3/4" wide blades. Demolition blades contain 2pcs. per pouch



PLASTER TEETH BLADE
have V-shaped teeth



SCROLL SAW BLADE has a
taper to fit into small spaces

Demolition Reciprocating Blades (7/8" Width)

PART #	SIZE (Length x Thickness x TPI)	Vinyl Pouch Part #
03-7666	6" x 0.062" x 6T	03-6666
03-7966	9" x 0.062" x 6T	03-6966
03-7266	12" x 0.062" x 6T	03-6266
03-7669	6" x 0.062" x 10/14T	03-6669
03-7969	9" x 0.062" x 10/14T	03-6969
03-7269	12" x 0.062" x 10/14T	03-6269
03-7684	6" x 0.062" x 14T	03-6684
03-7984	9" x 0.062" x 14T	03-6984
03-7284	12" x 0.062" x 14T	03-6284
03-7688	6" x 0.062" x 18T	03-6688
03-7988	9" x 0.062" x 18T	03-6988
03-7288	12" x 0.062" x 18T	03-6288

Heavy-Duty Reciprocating Blades (3/4" Width)

PART #	SIZE (Length x Thickness x TPI)	Vinyl Pouch Part #
03-7606	6" x 0.035" x 6T	03-6606
03-7656	6" x 0.05" x 6T	03-6656
03-7906	9" x 0.05" x 6T	03-6906
03-7206	12" x 0.05" x 6T	03-6206
03-7610	6" x 0.035" x 10T	03-6610
03-7810	8" x 0.035" x 10T	03-6810
03-7650	6" x 0.05" x 10T	03-6650
03-7414	4" x 0.035" x 14T	03-6414
03-7614	6" x 0.035" x 14T	03-6614
03-7654	6" x 0.05" x 14T	03-6654
03-7814	8" x 0.035" x 14T	03-6814
03-7854	8" x 0.05" x 14T	03-6854
03-7914	9" x 0.05" x 14T	03-6914
03-7214	12" x 0.05" x 14T	03-6214
03-7418	4" x 0.035" x 18T	03-6418
03-7618	6" x 0.035" x 18T	03-6618
03-7658	6" x 0.05" x 18T	03-6658
03-7818	8" x 0.035" x 18T	03-6818
03-7938	9" x 0.035" x 18T	03-6938
03-7918	9" x 0.05" x 18T	03-6918
03-7218	12" x 0.05" x 18T	03-6218
03-7424	4" x 0.035" x 24T	03-6424
03-7624	6" x 0.035" x 24T	03-6624
03-7634	6" x 0.05" x 24T	03-6634
03-7924	9" x 0.035" x 24T	03-6924
03-7603	6" x 0.035" x 10/14T	03-6603
03-7653	6" x 0.05" x 10/14T	03-6653
03-7903	9" x 0.05" x 10/14T	03-6903
03-7203	12" x 0.05" x 10/14T	03-6203
03-7636	6" x Scroll Saw x 6T	03-6636
03-7626	6" x Plaster x 6T	03-6626

POWER TOOL ACCESSORIES

CARBIDE GRIT SAW BLADES

- Steel Alloy backing is shock resistant and shatterproof

PART #	SIZE
03-7600	6" Carbide Grit (Sold as 1/Pouch)
03-7800	8" Carbide Grit (Sold as 1/Pouch)

- Continuous carbide edge cuts brick, stone, and concrete



HACKSAW BLADES

- 12" overall length
- Shatterproof and shock resistant blade
- Welded Cobalt steel teeth for fast and clean cuts

DESCRIPTION	PART #
14T, Bi-Metal Steel	02-0314
18T, Bi-Metal Steel	02-0318
24T, Bi-Metal Steel	02-0324
32T, Bi-Metal Steel	02-0332
18T, High Carbon Steel (BLUE)	02-2518
24T, High Carbon Steel (BLUE)	02-2524
32T, High Carbon Steel (BLUE)	02-2532

- Bi-Metal steel has a white steel alloy backing
- Carbon steel is great for cutting PVC, ABS plastic, non-ferrous metals, and wood




STEP DRILL BITS

- High Speed Steel material with a gold titanium finish
- Double flute design for balance & stability

PART #	NO. OF STEPS	SIZE RANGE
SB-338	3 STEPS	1/4", 7/8", 1-1/8"
SB-1238	12 STEPS	3/16" to 7/8"
SB-1314	13 STEPS	1/8" to 1/2"
SB-838	8 STEPS	9/16" to 1"
SB-938	9 STEPS	1/4" to 3/4"
SB-1138	1 STEP	7/8" Hole for 1/2" Conduit
SB-614	6 STEPS	3/16" to 1/2"
SB-1012	5 STEPS	7/8" to 1-3/8"

- Self-starting center cutting point requires no pilot hole drilling



POWER TOOL ACCESSORIES

THIN WALL HOLE SAWS

- Shatterproof, shock resistant hole saw with 3/8" cutting depth & 1/4" shank
- COBALT steel cutting teeth with a steel alloy backing
- 8TPI teeth for fast cuts. STOP Shoulder prevents overdrilling
- Spring loaded ejector spring instantly removes debris and plug

PART #	SIZE
03-3019	3/4"
03-3022	7/8"
03-3025	1"
03-3028	1-1/8"
03-3032	1-1/4"
03-3035	1-3/8"
03-3038	1-1/2"
03-3003	3 PIECE SET includes 7/8", 1-1/8", 1-3/8"



CARBIDE TIPPED HOLE CUTTERS

- Shatterproof, shock resistant hole cutter with 7/16" cutting depth
- COBALT steel cutting teeth with a steel alloy backing
- Carbide Tipped cutting edge makes clean cuts in sheet metal, stainless steel, angle iron, and copper
- Spring loaded ejector spring instantly removes debris and plug

PART #	SIZE
04-8019	3/4"
04-8022	7/8"
04-8025	1"
04-8028	1-1/8"
04-8030	1-3/16"
04-8032	1-1/4"
04-8035	1-3/8"
04-8038	1-1/2"
04-8044	1-3/4"
04-8051	2"
04-8054	2-1/8"
04-8057	2-1/4"
04-8060	2-3/8"
04-8064	2-1/2"
04-8067	2-5/8"
04-8070	2-3/4"
04-8076	3"
04-8204	4PC. SET includes sizes: 7/8", 1-1/8", 1-3/8", and 1/4" pilot drill

